

Television mounts • Monitor mounts • Projector mounts • Cable management

# AV MOUNTING SOLUTIONS



**FOR A**

**BETTER VISUAL EXPERIENCE**





 levitate

 visidec

 telehook

 spacedec

## WHY CHOOSE ATDEC?

### OUR PRODUCTS ARE WORLD CLASS AND IN MOST CASES BEST IN CLASS

Atdec mounts set the standard in terms of their sophisticated design, advanced functionality, clever features, robust construction, ease of installation and long life.

#### All Atdec products are:

- Designed and developed by our engineering and industrial design team in Sydney, Australia, and are tested to a minimum 10,000 cycles
- Designed to minimize the impact on the environment
- Designed in line with the latest flat panel (LED LCD, OLED and Plasma) technologies on the market

### ATDEC PRODUCTS ARE TESTED AND PROVEN

Research and development is ongoing at Atdec including testing lighter and stronger materials with less environmental impact, making installation easier, and enhancing product ergonomics and ease of use features. It is our goal to continue offering exceptional products and solutions, outstanding service and excellent value.

### DON'T JUST TAKE IT FROM US, DO AS OUR CLIENTS DO

Our clients include all branches of the US Government and many Fortune 500 companies including McDonalds, Wells Fargo, Boeing and many more. Our mounts can be seen behind flat screens throughout the world, from banks in London (Lloyds) to car dealerships in France (Renault), in airports in Sydney to homes in Seoul, in universities in Canada (Laurentian) to schools in San Francisco.



The new ergonomic monitor arm range

*new from Atdec*



**Key features:**

- Prevent abuse and theft of in-store iPads
- Multiple security features
- Support iPad, iPad2 and iPad3 tablets
- Allow for in-built speaker operation
- Provide full Wi-Fi functionality
- Ergonomic and easily adjustable
- Commercial grade steel casing for enhanced strength and theft resistance



Model: Restricted Access Clamp

Provides restricted access to the home and power buttons



Model: Full Access Clamp

Provides full access to the home and power buttons



Model: iPad Frame

Provides restricted access to the home and power buttons




Model: DuraTilt Desk Mount

An ideal solution for an iPad frame/clamp mounting. Durable and secure, rotates 210° and provides 80° range of tilt

## iPad mounts

The iPad Safeguard® range is designed to increase physical security while selectively limiting iPad function access. There are a range of Safeguard® models, all combining an aesthetic finish with a functional design and flexible operation. They can be attached directly to a wall or be used in conjunction with a desk mount.





## Monitor arms

The ultimate space saving solutions for any workstation, Atdec monitor arms come in a variety of options – single or dual display configurations, mounts for laptops or stationary displays, mounts with two or three pivot points or with a limited range of movement. Whatever your choice, Atdec monitor arms improve the ergonomics of your workstation and ensure a more productive and healthier work environment.

## Monitor stands

Atdec's monitor stand range offers a variety of options to support single, dual or multiple screens depending on your application. These sturdy and stylish mounts are perfect for any commercial or office environment. Freestanding options for "hot desking" and bolt through models with enhanced security and cable management features are available.





The new Levitate™ monitor arm is a dramatic step forward in both functionality and aesthetic design, combining unsurpassed convenience and versatility with a breathtaking appearance that enhances virtually any workplace environment. The new Levitate™ really is the perfect solution for anyone using a screen on a daily basis.



**Dynamic Lift Assistance Mechanism (DLA)**

This technology consists of adjustable springs in both the upper and lower arms, designed to allow the arms to be raised and lowered and rotated 360°, independently

Unsurpassed screen height, reach and adjustment range



Landscape to portrait rotation



Top loaded Desk Clamp is excellent for hard to reach areas.  
Choice of Bolt Through and Desk Clamp mounting options (both included)



Visual Gauge for spring tension to assist in large projects



Advanced cable management



Model: L-PW (white) and L-PB (black)

Standard single articulated arm



From 2kg (4.4lbs) to 8kg (17.6lbs)



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)

Model: LH-PW (white) and LH-PB (black)

Heavy duty single articulated arm



From 8kg (17.6lbs) to 13kg (28.6lbs)



Same as above

Model: LM-PW (white) and LM-PB (black)

iMac single articulated arm



From 8kg (17.6lbs) to 13kg (28.6lbs)



Special mounting head (no VESA adaptor required) supports most 24" and 27" Apple iMac models



**iMac option**



## FOCUS RANGE

The Visidec™ Focus range is a stylish solution designed for all monitors and laptop displays. These mounts allow excellent workplace layout options, very good space management, and ultra-easy ergonomic adjustments. Upgradable and interchangeable, these mounts are a valuable asset to any multi-tasking workplace.



Up to 8kg (17.6lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)

### With FlexiStar™



The FlexiStar™ mechanism is Atdec's unique display mounting head featuring extendable tabs for easy adjustment from 75mm x 75mm to 100mm x 100mm VESA mounting holes.



Model: VF-AT  
Single articulated arm



Articulated monitor arm and notebook tray combo

# MONITOR ARMS



Model: VF-AT-D  
Dual articulated arm

Also available as  
wall mount



Model: VF-AT-W  
Wall monitor articulated arm



Model: VF-M  
Micro



Model: VF-AT-NP  
Notebook articulated arm



Model: VF-AT-NK  
Notebook articulated arm accessory



Model: VF-AT-AA  
Articulated arm accessory



Advanced cable management



Choice of Desk Clamp and Bolt Through  
mounting options (both included)



## ACROBAT RANGE

The Spacedec™ Acrobat is a range of ergonomic monitor arms designed to maximise user comfort while using any kind of visual display or monitor. Thanks to the gas-strut mechanism the display height can be adjusted from the seated position. Display viewing distance, orientation, pan and tilt can also be easily changed allowing the monitor mount to be set for the correct focal distance for individual users and adjusted to avoid glare.



From 3kg (6.6lbs) to 9kg (19.8lbs)  
per display



75 x 75 and 100 x 100, also  
supports 200 x 100 via additional  
adaptor plate AC-AP-2010  
(sold separately)



**Spring Assisted**

Model: SD-AT-DK

Single articulated arm

Also available as  
wall mount



**Spring Assisted**

Model: SD-AT-DW

Wall articulated arm



Integrated cable  
management

# MONITOR ARMS



*Spring Assisted*

Also available as  
wall mount



Model: SD-SA-DW

*Spring Assisted*



Model: SD-SA-DK-DB

*Spring Assisted*

Dual monitor swing arm



Choice of Desk Clamp and Bolt Through  
mounting options (both included)

## FREESTANDING RANGE

The Visidec™ Freestanding multi-monitor range is a selection of mounting solutions based on design requirements for high utility multiscreen workspaces and portable system management.



Up to 12kg (26.5lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: VFS-Q  
Quad



Model: VFS-DH  
Dual horizontal



Model: VFS-DV  
Dual vertical



QuickShift mechanism  
for easy display  
position adjustment



Quick release mechanism  
for easy assembly and  
screen adjustment



Advanced cable  
management

## FREESTANDING RANGE

The Spacedec™ Freestanding range offers a robust, innovative mounting options for multiscreen applications. These display configurations are ideal for multi-functional work environments, and are excellent space managers, allowing functions to be grouped together in one place and run simultaneously in real time operations.



Up to 8kg (17.6lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: SD-FS-T

Triple



Quick release mechanism of the centre display for fast and easy assembly



Choice of Freestanding base and Bolt Through mounting options (both included)



Easy display horizontal adjustment



Advanced cable management




Model: SD-FS-H

Hex

## DISPLAY RANGE

The Spacedec™ Point of Sale mounts are highly versatile user-friendly, secure, and guaranteed to provide a professional, clean finish to any retail environment.



Model: SD-POS-HA  
POS height adjustable



Model: SD-POS-VBM  
POS standard



Can be upgraded into a dual display back-to-back configuration via SD-POS-HA-B2B or SD-POS-VBM-B2B accessories (sold separately)

 Up to 20kg (44lbs) per display

 75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: TH-FM  
Furniture mount



Up to 35kg (77lbs)



Universal mounting pattern up to 600mm wide and 400mm high



Security (display)



Rotation locking mechanism



Security (Installation)



Advance cable management



Quick release mechanism with a security screw

# MONITOR STANDS



Pole Height - 1150mm (45.3")

Model: SD-DP-1150



Up to 12kg (26.5lbs) per display

75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Pole Height - 750mm (29.5")

Model: SD-DP-750



Pole Height - 420mm (16.5")

Model: SD-DP-420

Universal mount suitable for poles with 42mm (1.65") and 50mm (2") in diameter.



Model: SD-DO  
QuickShift Donut mount

All three Donut Poles come with one QuickShift SD-DO donut and can be upgraded to support multiple screens by adding SD-DO mount(s) (sold separately)



Quick release mechanism for fast and easy assembly



Advanced cable management



QuickShift mechanism for easy display position adjustment



Choice of Desk Clamp and Bolt Through mounting options (both included)



## Wall mounts

Atdec's TV wall mount range offers solutions to suit any application. Fixed, tilt and full motion mounts are available for small to large TVs (from 12" to 63"). Made of steel and die cast aluminum to ensure durability and strength, the wall mounts boast superior designs and are packed with innovative features.



# FLUSH TO WALL RANGE



**Ultra Slim**



Up to 30kg (66lbs)



75 x 75, 100 x 100

Model: TH-1026-VF

Monitor/small TV mount



**Ultra Slim**



Up to 50kg (110lbs)



50 x 50, 75 x 75, 100 x 100,  
120 x 180, 200 x 100, 200 x 200

Model: TH-2250-VF

Small to medium TV mount



**Ultra Slim**



Up to 50kg (110lbs)



Universal up to  
800mm wide

Model: TH-UWM

Wire ultra slim mount



**Ultra Slim**



Up to 65kg (143lbs)



Universal up to 810mm wide  
and 500mm high

Model: TH-3060-LPF

Large TV ultra slim mount



**Low Profile**



Up to 50kg (110lbs)



Universal up to 600mm wide  
and 400mm high

Model: TH-3060-UF

Large TV low profile mount



Up to 91kg (200lbs)



Universal up to 800mm wide  
and 500mm high

Model: TH-3070-UF

Large TV heavy duty mount

\* Can support 200 x 100mm VESA mounting hole pattern via additional adaptor plate AC-AP-2010 (sold separately)

## TILT/PAN/ROTATING RANGE

## TV AND MONITOR MOUNTS



Up to 8kg (17.6lbs)



75 x 75, 100 x 100,  
200x100\*

Model: VF-WD

Monitor/small TV tilt/pan/rotating mount



Up to 25kg (55lbs)



75 x 75, 100 x 100,  
200 x 100\*

Model: SD-WD

Monitor/small TV tilt/ pan/rotating mount



Up to 25kg (55lbs)



75 x 75, 100 x 100,  
200 x 100, 200 x 200,  
and up to 400 x 400\*\*

Model: TH-2040-VTR

Small to medium TV tilt/pan/rotating mount



Up to 30kg (66lbs)



50 x 50, 75 x 75, 100 x 100,  
200 x 100, 200 x 200, and  
up to 400x400\*\*

Model: TH-2250-VTP

Small to medium TV tilt/pan mount

\*\* Can support 200 x 300, 200 x 400, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300, 400 x 400 VESA mounting hole patterns via additional adaptor plate AC-AP-4040 (sold separately)

# TILT/PAN/ROTATING RANGE



Model: TH-3060-LPT  
Large TV tilt ultra slim mount

**Ultra Slim**



Up to 50kg (110lbs)



Universal up to 800mm wide and 500mm high



Model: TH-30-50-RW  
Large TV tilt/pan/rotating mount

**Low Profile**



Up to 85kg (187lbs)



Universal up to 660mm wide and 400mm high



Model: TH-3060-UT  
Large TV tilt low profile mount

**Low Profile**



Up to 50kg (110lbs)



Universal up to 600mm wide and 400mm high



Model: TH-3070-UT  
Large TV tilt heavy duty mount



Up to 91kg (200lbs)



Universal up to 800mm wide and 500mm high



Model: TH-1032-VFM  
Small TV swing arm

Smooth Glide Technology



Up to 25kg (55lbs)



75 x 75, 100 x 100, 200 x 100,  
200 x 200, and up to 400 x 400\*



Model: TH-1040-VFM  
Small TV articulated arm

Smooth Glide Technology



Up to 25kg (55lbs)



75 x 75, 100 x 100, 200 x 100,  
200 x 200, and up to 400 x 400\*



Model: TH-2050-VFM  
Small to medium TV articulated arm

Smooth Glide Technology



Up to 35kg (77lbs)



100 x 100, 200 x 100, 200 x 200, 300 x 200,  
300 x 300, 400 x 300, 400 x 400



Model: TH-3270-UFM  
Medium to large TV articulated arm

Smooth Glide Technology



Up to 65kg (143lbs)



Universal up to 805mm wide  
and 500mm high

\* Can support 200 x 300, 200 x 400, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300, 400 x 400 VESA mounting hole patterns via additional adaptor plate AC-AP-4040 (sold separately)

FULL MOTION RANGE

TV AND MONITOR MOUNTS



Model: SD-AT-DW

Monitor/small TV articulated arm



Spring Assisted



From 3kg (6.6lbs) to 9kg (19.8lbs)



75 x 75, 100 x 100, 200 x 100\*

Model: SD-SA-DW

Monitor/small TV swing arm



Spring Assisted



From 3kg (6.6lbs) to 9kg (19.8lbs)



75 x 75, 100 x 100, 200 x 100\*

Model: VF-AT-W

Monitor/small TV articulated arm



Up to 8kg (17.6lbs)



75 x 75, 100 x 100, 200 x 100\*

Model: TH-2050-UFL

Small to medium TV articulated arm



Ultra Slim



Up to 25kg (55lbs)



Universal up to 400mm wide and 400mm high

Model: TH-3060-UFL

Medium to large TV articulated arm



Ultra Slim



Up to 35kg (77lbs)



Universal up to 700mm wide and 500mm high

Model: TH-3060-SAU

Medium to large TV swing arm



Up to 65kg (143lbs)



Universal up to 685mm wide and 430mm high

\* Can support 200 x 100mm VESA mounting hole pattern via additional adaptor plate AC-AP-2010 (sold separately)

## Ceiling mounts

Atdec ceiling mounts offer an ideal solution for retail applications, entertainment and sport venues, clubs and mass transport facilities such as airports. They are specifically designed to satisfy digital signage and commercial applications where mounting flexibility is paramount and space is limited



### MONITOR MOUNT/SMALL TV MOUNT



Up to 15kg (33lbs)



75 x 75 and 100 x 100  
also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: TH-1026-CT  
up to 1695mm (66.7") pole

TH-1040-CT models can be upgraded to a dual vertical display configuration via additional accessory TH-1040-CT-DV (sold separately)



TH-1040-CT models can be upgraded with 1m (39") extension pole accessory TH-1040-EXT-1000-1H (sold separately)



### MONITOR MOUNT/SMALL TO MEDIUM TV MOUNT



Up to 25kg (55lbs) per display



75 x 75, 100 x 100, 200 x 100, 200 x 200,  
also supports VESA up 400 x 400  
via additional adaptor plate AC-AP-4040 (sold separately)



Model: TH-1040-CTS  
up to 900mm (35.43") pole

Model: TH-1040-CTL  
up to 1800mm (70.87") pole

This ceiling mount is also available in white color



The raked ceiling accessory allows for angled ceilings up to 45 degrees TH-1040-RCA (sold separately)

TH-1040-CT models can be upgraded to a dual back-to-back configuration via additional accessory TH-1040-CT-B2B (sold separately)



MEDIUM TO LARGE TV MOUNT



Up to 65kg (143lbs) per display



Universal mounting hole pattern up to 800mm wide and 500mm high

Model: TH-3070-CTS  
up to 900mm (35.5") pole

Model: TH-3070-CTL  
up to 1900mm (75") pole

Can be upgraded to a dual back-to-back configuration via additional accessory TH-3070-CTL-B2B (sold separately)



LARGE TV MOUNT



Up to 91kg (200lbs) per display



Universal up to up to 685mm wide and 430mm high

Model: TH-3070-CTW  
up to 2000mm (78.75") pole



Can be upgraded to a dual back-to-back configuration via additional accessory TH-3070-CTW-BB (sold separately)



**PROJECTOR RANGE**

Atdec projector mounts are a vital part of any home theatre or corporate boardroom installation. Packed with innovative features our projector mounts offer unsurpassed versatility and suit a broad range of projectors thanks to their universal mounting hole pattern. Easy to install and adjust, the projector mounts will suit any office environment or home entertainment area.



Up to 15kg (33lbs) per display



Universal

45° Allows for angled ceilings up to 45 degrees



Model: TH-WH-PJ-CM  
Pole projector mount



Model: TH-WH-PJ-FM  
Flush projector mount

## Cable management

Ideal for home installations and commercial/office space where advanced cable management is required, the Telehook Cable Manager Channel features a stylish design to reduce visual cable clutter. The Telehook AV equipment Shelves are a perfect addition offering a simple and elegant shelf solution for supporting any type of AV equipment.





Holds up to 10 power and data cables in separate bays (to avoid electromagnetic interference)

Cable management channel



- Durable extruded anodized aluminum
- Low profile, only 28mm (1.10") from wall
- Can be cut to length and painted
- Accommodates up to 4 height adjustable and removable AV equipment shelves

Model: TH-AN-CM

AV equipment shelves



- Durable extruded anodized aluminum
- Supports up to 20kg (44lbs) in weight per shelf
- Can be added and removed easily
- Each shelf is independently height adjustable
- Come in a set of two per pack

Model: TH-CM-SH-2

## SINCE ITS FOUNDATION IN 1998 ATDEC HAS BEEN DEDICATED TO SUSTAINABLE PRODUCT DESIGN AND DEVELOPMENT.



### **Designed for Disassembly**

All Atdec products are designed in order to minimise their impact on the environment. As such, all Atdec products are “Designed for Disassembly” (DFD). DFD means making products that can be taken apart easily for recycling at the end of their life.

Processes are as follows:

- Components which are of adequate quality can be refurbished or reused.
- Metallic parts can be separated easily into categories which increases their recycling value.
- Disassembled plastic parts can be easily removed and recycled, or disposed



### **Designed for Durability, Strength and Extended use**

Atdec is committed to sustainability and through the use of new and innovative technologies we improve the quality, durability, environmental compatibility, and affordability of our products. Our products go through a testing of 10,000 repetitive movements to ensure the mechanisms work as intended even in intensive use environments.



### **Recycling**

Atdec makes full use of recyclable and recycled materials where possible. Aluminium, steel and plastics are the materials of preference for all Atdec products because of their inherent recycling properties in addition to their performance properties. Aluminum in particular has a high value as a scrap metal and is therefore one of the primary metals in all Atdec products. The steel used in our products is relatively easy to separate through magnetic extraction, and it is the world’s most commonly recycled material. For our packaging we use recyclable paper made of recycled materials wherever possible.



Atdec Pty Ltd  
Level 1, 26 Castlereagh St  
Liverpool NSW 2170  
Australia  
Email: [info@atdec.com](mailto:info@atdec.com)  
Phone: (02) 87295000  
[www.atdec.com.au](http://www.atdec.com.au)

Atdec mounts are designed, developed and tested in Australia. We manufacture an extensive range of products for a variety of user types and situations. While all efforts have been made to ensure the information in this brochure was correct as of the date of printing, we reserve the right to change specifications without notice. Please refer to the web site for our full range along with the latest details on specifications and product compatibility. Atdec, Telehook, Visidec, Levitate and Spacedec are the registered trademarks with all rights reserved. Copyright March 2012.