



# *Motorola MC55/MC65*

## Accessories Guide









A wide variety of accessories allows you to easily customize the Motorola MC55 and MC65 to best meet the needs of your applications and your workers — including high capacity batteries, holsters, vehicle chargers and more.





And since all MC55 accessories are compatible with the new MC65, businesses can upgrade to the very latest in rugged mobile EDAs to supercharge field workers and redefine mobile workforce productivity — without sacrificing existing accessory investments.

## MC55/MC65 Accessories




### Cradles and Cradle Accessories

	<b>Single Slot USB Charging Cradle with a bay for spare battery charging — CRD5500-1000UR</b> Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord.
	<b>Four Slot Charge Only Cradle — CRD5500-4000CR</b> Charges four terminals at one time. Requires Power Supply 50-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord.
	<b>Four Slot Ethernet Charging Cradle — CRD5500-4000ER</b> Charges and provides Ethernet connectivity to four terminals at one time. Requires Power Supply 50-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord.
	<b>Vehicle Cradle — VCD5500-1000R</b> Charges a terminal only. Does not accommodate spare battery charging.
	<b>Wall Mount Cradle Bracket — 8710-050006-01R</b> For mounting four slot cradles only.
	<b>Single Slot Cradle — CRD5500-1000XR</b> Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply KT-14000-148R and country specific three wire grounded AC power line cord.










### Cradle Kits

	<b>Single Slot Cradle Kit — CRD5500-100UR</b> Includes Single Slot USB cradle (CRD5500-1000UR), Power Supply (KT-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Single Slot Cradle Kit — CRD5500-101UR</b> Includes Single Slot USB cradle (CRD5500-1000UR) and Power Supply (KT-14000-148R). Purchase country specific three wire grounded line cord separately.
	<b>Four Slot Charge Only Cradle Kit — CRD5500-400CR</b> Includes Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Charge Only Cradle Kit — CRD5500-401CR</b> Includes Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately.





## Cradle Kits (continued)

	<b>Four Slot Ethernet Cradle Kit — CRD5500-400ER</b> Includes Four Slot Ethernet cradle (CRD5500-4000ER), Power Supply (50-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Ethernet Cradle Kit — CRD5500-401ER</b> Includes Four Slot Ethernet cradle (CRD5500-4000ER) and Power Supply (50-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately.
	<b>Vehicle Holder Kit — VCH5500-101R</b> Holder and Auto Charge cable (VCA5500-01R)





## Battery Chargers and Charger Accessories

	<b>Standard Capacity Spare Battery — BTRY-MC55EAB00</b> 2400 mAh standard capacity spare battery. (Available for the MC5590 only)
	<b>Extended Capacity Spare Battery — BTRY-MC55EAB02</b> 3600 mAh standard capacity spare battery.
	<b>Standard Capacity Battery 10 pack — BTRY-MC55EAB00-10</b> 2400 mAh standard capacity spare battery, 10 pack. (Available for the MC5590 only)
	<b>Standard Capacity Battery 50 pack — BTRY-MC55EAB00-50</b> 2400 mAh standard capacity spare battery, 50 pack. (Available for the MC5590 only)
	<b>Extended Capacity Battery 10 pack — BTRY-MC55EAB02-10</b> 3600 mAh standard capacity spare battery, 10 pack.
	<b>Extended Capacity Battery 50 pack — BTRY-MC55EAB02-50</b> 3600 mAh standard capacity spare battery, 50 pack
	<b>4 Slot Battery Charger — SAC5500-4000CR</b> Charges up to 4 MC55/MC65 Batteries.
	<b>4 Slot Battery Charger Kit — SAC5500-400CR</b> Includes 4 Slot Battery Charger SAC5500-4000CR, KT-14000-148R Power Supply and 23844-00-00R US AC Line Cord.
	<b>4 Slot Battery Charger Kit — SAC5500-401CR</b> Includes 4 Slot Battery Charger SAC5500-4000CR and Power Supply KT-14000-148R. Purchase country specific three wire grounded AC power line cord separately.




## Cable Accessories

	<b>USB Charge and Communication Cable from the Terminal to Host system — 25-108022-01R</b> Charging requires Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord.
	<b>Charge-only Cable — 25-112560-01R</b> Charging requires Power Supply (50-14000-249R) and country specific two wire ungrounded AC power line cord.
	<b>USB Client Communication-only Cable — 25-68596-01R</b> From Cradle to the host system.
	<b>DEX Cable — 25-127558-01R</b> DEX Cable.

## Power Supplies and Adapters

	<b>AC power supply with barrel jack — 50-14000-249R</b> Allows for charging of an MC55/MC65 terminal with either USB (25-108022-01R) or Charge only (25-112560-02R) cable. Order country specific two wire AC power line cord separately.
	<b>Power supply — KT-14000-148R</b> Provides power to the Single Slot Cradle (CRD5500-1000UR) and Four Slot Battery Charger (SAC5500-4000CR). Order country specific three wire grounded AC line cord separately.
	<b>Power supply — 50-14000-241R</b> Provides power to the Four Slot Charge Only and Ethernet Cradles (CRD5500-4000CR and CRD5500-4000ER). Order country specific three wire grounded AC line cord separately.
	<b>Auto Charge Cable — VCA5500-01R</b> 12 Volt (Cigarette Lighter Adapter)

## Power Line Cords















	<b>DC cable — 50-16002-029R</b> For power supply 50-14000-241R.
	<b>US AC line cord — 23844-00-00R</b> Grounded, three wire for power supplies KT-14000-148R and 50-14000-241R.
	<b>US AC line cord — 50-16000-182R</b> Un-grounded, two wire for power supply 50-14000-249R.

## International AC Line Cords

Country	Grounded (For power supplies KT-14000-148R and 50-14000-241R)	Ungrounded (For power supply 50-14000-249R)
Abu Dhabi	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Australia	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	<b>50-16000-666R</b> — 1.8 m ungrounded, two wire AS 3112 plug
Bermuda		<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Bolivia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Brazil	<b>50-16000-727R</b> — 1.8 m grounded, three wire, NBR 14136 plug	<b>50-16000-726R</b> — 1.8 m ungrounded, two wire, NBR 6147 plug
China	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug <b>50-16000-257R</b> — 1.8 m, grounded, three wire, IEC 60320 C13 plug	<b>50-16000-664R</b> — 1.8 m ungrounded, two wire, GB 2099-1-1996 plug
Dubai	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Egypt	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Europe	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Hong Kong	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
India	<b>50-16000-669R</b> — 1.8 M grounded, three wire, BS 546 Plug	
Iran	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Iraq	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Israel	<b>50-16000-672R</b> — 1.8 m grounded, three wire, S132 Plug	
Italy	<b>50-16000-671R</b> — 1.8 m grounded, CIE 23-16 plug	
Japan	<b>50-16000-218R</b> — 1.8 m, grounded, three wire, NEMA 1-15P plug	
Korea	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug <b>50-16000-256R</b> — 1.8 m, grounded, CEE7/7 plug	
Malaysia	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
New Guinea	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	
Russia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Singapore	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United Kingdom	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United States	<b>50-16000-221R</b> — 1.8 m, grounded, USA NEMA 5-15P <b>50-16000-678R</b> — 36 inch grounded, three wire	
Vietnam	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	

Continued on back...

# MC55/MC65 Accessories (continued)

Miscellaneous	
	<b>Vehicle Holder Mount — VCH5500-1000R</b> Accommodates the standard and extended battery.
	<b>Vehicle Holder Kit — VCH5500-101R</b> Includes Vehicle Holder Mount (VCH5500-1000R) and Auto Charge Cable (VCA5500-12R).
	<b>Hard case — SG-MC5511110-01R</b> Rigid holster with large swivel clip for rugged applications.
	<b>Soft case — SG-MC5521110-01R</b> Holster with plastic belt clip
	<b>Spare stylus, 3 pack — KT-119150-03R</b>
	<b>Spare Stylus, 50 pack — KT-119150-50R</b>
	<b>Spring loaded stylus, 3 pack — Stylus-00001-03R</b> Optional spare spring loaded stylus, 3 pack
	<b>Spring loaded stylus, 10 pack — Stylus-00001-10R</b> Optional spare spring loaded stylus, 10 pack
	<b>Stylus with tether, 3 pack — Stylus-00003-03R</b> Spare stylus with tether, 3 pack
	<b>Stylus with tether, 50 pack — Stylus-00003-50R</b> Spare stylus with tether, 50 pack
	<b>Spare tether, 3 pack — KT-122621-03R</b>
	<b>Spare tether, 50 pack — KT-122621-50R</b>
	<b>Magnetic Stripe Reader — MSR5500-100R</b>
	<b>MC55/MC65 Trigger Handle — TRG5500-100R</b>



**MOTOROLA**

[motorola.com](http://motorola.com)

Part number BR-CAT-MC5565-ACC. Printed in USA 09/10. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2010 Motorola, Inc. All rights reserved. For system, product or services availability and specific information within your country, please contact your local Motorola office or Business Partner. Specifications are subject to change without notice.