

Data Sheet

Fujitsu Display E22W-6 LED Display

All-round Display: 55.9 cm (22-inch) widescreen display
Best energy saving solutions for office applications

The E22W-6 LED combines comfortable ergonomics with best-in-class energy saving technology like ECO operation mode.

Environmentally friendly LED technology with unique, high efficient energy saving solutions like ECO operation mode and ECO standby

Fast response time (typ.) of 5 ms, perfect for office, internet use and more

Proven ECO friendliness with TCO Display 5.1, ENERGY STAR® 5.0 and EPEAT silver certificate

Representative design providing a slender housing in ergonomic matt black, integrated speakers and power supply



Technical details

Special features

ECO button, ECO Status LED: 3 colors for 3 modes

Ergonomic stand

Stand removable

Tilt angle -5° / +20°

Picture performance

Panel and backlit TN/LED

Contrast - typical 1000:1

Contrast - advanced 2,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 170°/170° CR5:1

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m2

Size and resolution

Aspect ratio 16:10

Diagonal Size 55.9 cm (22-inch)

Resolution (native) 1680 x 1050 pixel (recommended)

Resolution (interpolated) 1440 x 900 pixel, 1360 x 768 pixel, 1280 x 1024 pixel, 1024 x 768 pixel

Picture size 474 x 296 mm

Pixel Pitch 0.282 mm

Frequencies

Horizontal 30 - 82 kHz

Vertical 56 - 76 Hz

Connectivity

DVI 1 x DVI (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 1.5 W

OSD Languages and setting options

Languages Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese

Brightness / Contrast Brightness, Contrast, Black level, Auto level

Color 6500K, 9300K, Native, Custom Color (R,G,B)

Image adjust Clock, Phase, H-Position, V-Position, Expansion

Audio Mute, Volume

Information Model name, S/N, Resolution/mode, Signal input

Setup Input select, Language, DDC-CI, OSD-Timeout, Factory recall

Power consumption (typical)

Soft switch off 0.1 W

Power save mode 0.2 W

Operating with EPA settings 22 W

Operating maximum brightness 27 W

Power supply display integrated

Power notes without sound;

Electrical values

Rated voltage range 100 V - 240 V

Rated frequency range 50 Hz - 60 Hz

Protection class 1

Compliance

Europe CE certification according to EC Directive 2004/108/EEC, EN 60950, Nordic Swan, RoHS, WEEE, IT-Eco-Declaration

Model	E22W-6
Germany	TÜV GS
Russia	GOST
USA/Canada	FCC Class B, cUL
Japan	VCCI
Saudi Arabia	SASO
Mexico	NOM
Global	TCO Displays 5.1, ENERGY STAR® 5.0, EPEAT® Silver (dedicated regions), ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/

Quality and Reliability

MTBF (demonstrated)	70000 h
---------------------	---------

Dimensions / Weight / Environmental

Dimension without stand (W x D x H)	508 x 60 x 343 mm
Dimension with stand (W x D x H)	508 x 193 x 387 mm
Weight (packed)	5.8 kg
Weight (unpacked)	4.0 kg
Weight (Monitor only)	3.5 kg
Operating ambient temperature	5 - 35°C

Miscellaneous

Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock
Color	Black

Package content

Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, Quickstart flyer, Getting Started Manual, Warranty booklet
Display delivered accessories notes	Data cables and audio cable detachable on display

Order information

Order Code	S26361-K1377-V160
EAN-No.	4049699310676

Warranty

Standard Warranty	3 years
Service level	Collect & Return Service (depending on country specific requirements)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support



red dot design award winner
2011

Design of Fujitsu Displays P, B
and E Line, International - March
15, 2011

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu Display E22W-6 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Display E22W-6 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://www.fujitsu.com/fts/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2013-01-09 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions